



PHARMACY COLLEGE ADMISSION TEST

PCAT Reliability and Validity

Effective: July 2016

PEARSON

PEARSON

Copyright © 2004, 2008, 2012, 2015, 2016 NCS Pearson, Inc.

Warning: No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without the express written permission of the copyright owner.

Pearson, PCAT, and the **PCAT logo** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliates.

MCAT is a trademark of the Association of American Medical Colleges.

NCS Pearson, Inc., 5601 Green Valley Drive, Bloomington, MN 55437
800.622.3231 www.PCATweb.info

Produced in the United States of America.

2.A

Product Number 65693PCAT

Table of Contents

Acknowledgments	iv
Introduction.....	1
PCAT Reliability	2
Internal Consistency.....	2
Standard Error of Measurement (<i>SEM</i>)	3
Test Format Comparability	3
Inter-Scorer Reliability	4
Essay Scoring Method Comparability	4
PCAT Validity	6
Content Validity	6
Internal Structure Validity	6
Concurrent Validity.....	7
Predictive Validity.....	7
Glossary.....	11
References.....	14
Tables	
1 Reliability Coefficients (KR-20) and Standard Errors of Measurement (<i>SEMs</i>) for 2011–2015 Normative Sample Multiple-Choice Scaled Scores.....	2
2 Percent of Writing Score Inter-Scorer Agreement for the Normative Sample.....	4
3 Inter-Scorer Agreement Results that Include both Human and IEA Assigned Scores: September 2014 Through January 2015.....	5
4 Intercorrelations Among PCAT Subtest and Composite Scores for the 2011–2015 Normative Sample.....	7



Acknowledgments

This document was prepared by the following members of the Pearson Clinical Assessment group:

Donald G. Meagher, EdD
Senior Research Director

Tianshu Pan, PhD
Psychometrician

Rachel Wegner, MA
Test Development Manager

Jeffrey R. Miller, MA
Editor

Introduction

The *Pharmacy College Admission Test* (PCAT) is a norm-referenced standardized test that is developed to measure the abilities, aptitudes, and skills that pharmacy schools deem essential for success in their programs. In an effort to ensure the continuing relevance and usefulness of the PCAT for assessing the prerequisite knowledge and skills of candidates for admission to professional pharmacy programs, the test content is periodically reviewed and revised to ensure that it accurately reflects current pharmacy school prerequisite requirements in the sciences, math, and language arts.

This publicly available document provides information and research results related to the reliability and validity of the PCAT. Information in this document includes reliability and validity data based on the current normative sample—PCAT candidates who took the test for the first time between July 2011 and January 2015 ($n = 64,652$)—and a summary of research findings related to the validity of the test.

During the 2011–2015 normative sample period, the PCAT consisted of a Writing subtest and five multiple-choice subtests: Verbal Ability, Biology, Chemistry, Reading Comprehension, and Quantitative Ability. However, beginning with the July 2016 PCAT administration, the test no longer contains a Verbal Ability subtest, and the four remaining multiple-choice subtests have been renamed as Biological Processes, Chemical Processes, Critical Reading, and Quantitative Reasoning. So that the information in this document remains current and relevant going forward, references to the multiple-choice subtests will be to the four that are currently part of the PCAT.

The following additional publications are also available on the PCAT website: PCAT Basics, with information about PCAT history, contents, structure, administration, and score reporting; and Interpreting PCAT Scores, with information useful in interpreting all PCAT scaled scores, percentile ranks, and Writing scores. Also available only to qualified professionals, the printed *PCAT Technical Manual* contains detailed data for the current normative sample, the current 2015 percentile ranks, compendium tables that can be used to compare the previous 2011 percentile ranks with the current percentile ranks, and a table showing differences in Composite percentile rank between those with and without the Verbal Ability subtest.

To request a copy of the *PCAT Technical Manual*, or to offer suggestions regarding the PCAT or about this or any other related publications, please contact PCAT Customer Relations at the following email address: Scoring.Services@Pearson.com.

A test's reliability is the extent to which the test yields consistent results. Considerations of the reliability of a test must account for both multiple-choice and writing components, and must show consistent data for different administration formats and scoring methods, such as printed test booklets, computer-based test (CBT) delivery, and human and electronic essay scoring.

Internal Consistency

One common measure of a test's reliability is internal consistency, which is appropriate to use when candidates take multiple-choice subtests on a single test administration. The most commonly used formula for estimating the reliability of a test based on internal consistency is the Kuder-Richardson formula 20 (KR-20), which requires only a single administration of a test. KR-20 yields a reliability estimate of internal consistency (or reliability coefficient) by examining the homogeneity of the questions within a test based on the number of items in the test, the standard deviation of the total score, and the proportion of candidates correctly answering each item.

Reliability coefficients can range from 0.00 to 1.00, with a value of 1.00 indicating that the test is perfectly consistent. The reliability coefficients shown in Table 1 represent the internal consistency of the four multiple-choice PCAT subtests and of the test as a whole (Composite) for the current normative sample. All the reliability coefficients are satisfactory (≥ 0.80) according to commonly accepted criteria (Anastasi & Urbina, 1997; Streiner, 2003), with only the Chemical Processes reliability coefficient slightly below this threshold, possibly because some items with new content (basic biochemical processes) were introduced during the current normative sample period.

Table 1 Reliability Coefficients (KR-20) and Standard Errors of Measurement (SEMs) for the 2011–15 Normative Sample Multiple-Choice Scaled Scores

Subtest/Composite	Reliability	SEM
Biological Processes	.84	8.28
Chemical Processes	.79	11.25
Critical Reading	.81	9.17
Quantitative Reasoning	.86	7.25
Composite	.93	4.48

Standard Error of Measurement (*SEM*)

The standard errors of measurement (*SEMs*) shown in Table 1 also relate to the reliability of a test. The *SEM* (reported here in scaled score units) represents an estimate of the possible amount of error present in a test score, or the variability of a candidate's scores if tested repeatedly with the same test. Because repeated testing always results in some variation, no single test event ever measures a candidate's actual ability with complete accuracy. For this reason, a statistical allowance must be made for a test score to represent, with a reasonable degree of certainty, an estimate of a candidate's ability. The *SEM* is used with a candidate's test score to calculate a score range that represents a reasonable estimate of his or her actual ability. Thus, the lower the *SEM*, the closer candidates' test scores are to their actual ability, and the greater degree of certainty that the test scores are reliable.

For example, if a PCAT candidate obtains a Composite scaled score of 400, the *SEM* of 4.48 shown in Table 1 suggests that one could be about 68% confident that the candidate would earn, upon repeated attempts, a score between 395.5 and 405.5 (i.e., 400 ± 4.48) and be 95% confident of a score between 391.2 and 408.8 (i.e., $400 \pm 4.48(1.96)$).

Test Format Comparability

Since the July 2011 PCAT administration, all PCAT tests have been delivered in CBT format. To examine the equivalence of scores earned on the CBT format with scores earned on a PPT format, a study was conducted during the October 2010 PCAT administration to compare CBT and PPT results for examinees taking the same test form. Propensity score matching was used to select matched samples in order to determine whether significant differences were present between performances of those taking the PCAT in CBT and PPT formats (Rosenbaum & Rubin, 1983). To determine PCAT performance comparability, mean scaled scores for the CBT and PPT modes were compared, with Cohen's *d* used as an effect size measure to determine mean differences in terms of standard deviation units (Cohen, 1988).

These analyses found that all effect sizes were less than 0.20, the value below which is commonly considered to indicate a negligible effect (Cohen, 1988), suggesting that differences between means were likely due to random-chance fluctuation rather than to the mode of delivery. The results of these analyses demonstrated that the mean score differences between CBT and PPT samples were statistically insignificant. All current CBT test forms meet item-selection criteria that are just as rigorous as formerly used for PPT forms, and scaled scores earned on CBT tests are comparable to scaled scores previously earned on PPT forms.

Inter-Scorer Reliability

Data in Table 2 present evidence of the reliability of valid Writing subtest scores (i.e., no 0 scores) earned by candidates in the current norm group as indicated through inter-scorer reliability—the degree of agreement between scores assigned to the same essay by different scorers. Table 2 indicates the relationships between the Writing scores assigned by two trained scorers for each essay. The data in the table show the percentage of discrepancy between the two assigned scores for all candidates taking the PCAT for the first time between June 2007 and January 2011. The 0 score point discrepancies of 84.0% (Conventions of Language) and 78.9% (Problem Solving) and the 0–1 score point discrepancies of 99.9% (Conventions of Language, 84.0 + 15.9) and 99.2% (Problem Solving, 78.9 + 20.3) suggests a very high degree of consistency between the two independent scorers in the scoring of the essays, particularly since scores differing 0–1 points are averaged to obtain the candidate’s score.

Table 2 Percent of Writing Score Inter-Scorer Agreement for the Normative Sample

Score	Score point discrepancy		
	0	1	≥2
<i>n</i>	34,372	13,070	343
% of normative sample	71.9	27.4	0.7

Please note that prior to the July 2012 PCAT administration when the current 6-point scale was introduced, separate scores were assigned for Conventions of Language and Problem Solving on 5-point scales.

Essay Scoring Method Comparability

During the September 2014 through January 2015 PCAT test administration periods, a pilot study was conducted to determine the feasibility of using Pearson’s Intelligent Essay Assessor™ (IEA) as one of the two scores obtained for each PCAT Writing subtest essay.

Developed by Pearson Knowledge Technologies, IEA is an Internet-based tool designed to automatically score electronically submitted essays. IEA uses a scoring engine that analyzes text through a combination of latent semantic analysis (LSA) and methods widely used in automatic speech recognition, computational linguistics, and other forms of statistical artificial intelligence. LSA analyzes text by determining semantic similarities for words and extended passages, which enables the IEA tool to evaluate essays for both substantive content and mechanical aspects of writing.

Pearson provided Knowledge Technologies with over 23,000 PCAT essays with over 46,000 assigned scores that were used to program the IEA scoring engine for use with selected Writing prompts administered during the pilot period. During the pilot process, adjustments were made to the IEA scoring engine to improve alignment of the electronic and human scores. Table 3 shows an inter-scorer reliability analysis of the 7,997 essays scored by both human scorers and the IEA electronic scoring tool that earned valid scores (i.e., no scores) from September 2014 through January 2015.

Table 3 Inter-Scorer Agreement Results that Include both Human and IEA Assigned Scores: September 2014 Through January 2015

Score	Score point discrepancy		
	0	1	≥2
<i>n</i>	4,994	2,914	89
% of normative sample	62.4	36.4	1.1

Comparing the inter-scorer agreement results for the current normative sample (Table 2) with the results shown in Table 3 indicates a somewhat greater proportion of 1-point discrepancies for essays scored by both human and IEA scorers (Table 3). However, when the 0-point and 1-point discrepancies are considered together, both tables show very similar results: 99.4% in Table 2 and 98.9% in Table 3. Since adjacent score discrepancies are considered acceptable for scoring purposes (i.e., scores with 0 or 1 point discrepancies), the overall 98.9% agreement shown in Table 3 suggests that PCAT Writing scores including both human and IEA scores are comparably reliable to scores obtained for the current normative sample.

All of the PCAT Writing subtest scores earned beginning with the July 2015 administration include both human and IEA assigned scores, with all cases of more than 1-point discrepancy resolved by a human resolution scorer.

The validity of a test is defined as the degree to which the test actually measures what it is intended to measure. There are several types of evidence of test validity. For the purposes of the PCAT, evidence of content, internal structure, concurrent, and predictive validity are examined in this section.

Content Validity

One important type of validity is content validity—the degree of correspondence between the contents of the test and the logical and curricular domains intended to be measured. Pearson (formerly The Psychological Corporation) has worked closely with the American Association of Colleges of Pharmacy (AACP) PCAT Advisory Committee over the years to ensure that the test includes content that is relevant to pharmacy school prerequisite requirements and to the pharmacy school curricula.

In addition to the monitoring of the PCAT contents by the PCAT Advisory Committee, all PCAT test items are designed and constructed to measure knowledge, skills, and abilities considered necessary for success in pharmacy school (see the PCAT Basics document). All PCAT test items have been written and reviewed by contracted individuals with content expertise according to detailed guidelines provided to them by Pearson. Prior to field-testing new test items, all items are reviewed by Pearson subject-matter experts and editorial staff for content appropriateness, style and format consistency, and gender and ethnic bias. Only items that are judged satisfactory through this process are considered for inclusion as items on PCAT test forms.

Internal Structure Validity

Internal structure validity involves the degree to which psychometric relationships among components within a test are consistent with the intended meaning of scores for those components. Each PCAT subtest is designed to measure different skills and content, and examining the correlations between subtests suggests whether each subtest is performing as expected.

Table 4 shows the relationships between the multiple-choice subtest scaled scores and Writing scores earned by candidates in the current norm group. These relationships are displayed in terms of a correlation coefficient (r) (a measure of the relative strength or weakness of the relationship) ranging from -1.0 to 1.0 . A correlation coefficient of 1.0 would represent a perfect correspondence, suggesting that the subtests are measuring the same things, and a coefficient of 0.0 would indicate no relationship. Higher correlation coefficients suggest that similar abilities or knowledge is being assessed, and lower correlation coefficients suggest that the subtests are measuring more distinct abilities or knowledge.

Table 4 Intercorrelations Among PCAT Subtest and Composite Scores for the 2011–2015 Normative Sample

Subtest/Composite	Intercorrelations				
	Biological Processes	Chemical Processes	Critical Reading	Quantitative Reasoning	Composite
Chemical Processes	.63	—	—	—	—
Critical Reading	.47	.40	—	—	—
Quantitative Reasoning	.46	.62	.40	—	—
Composite	.81	.85	.71	.78	—
Writing	.22	.23	.36	.27	.34

As shown in Table 4, the highest correlations for each of the multiple-choice subtests are with the Composite score (0.71–0.85). The highest correlations between subtests are between Biological Processes and Chemical Processes (0.63) and between Chemical Processes and Quantitative Reasoning (0.62). The lowest correlations are between the Writing scores and all of the other subtests (0.22–0.32), followed by Critical Reading with the other three multiple-choice subtests (0.40–0.47). These relatively lower correlations highlight the difference between the Writing task and the content knowledge required by the other subtests, and they reflect the very different content and skills assessed on the Critical Reading subtest and other multiple-choice subtests.

Concurrent Validity

Some recent research has addressed the concurrent validity of the PCAT through correlation analyses of PCAT scores and other assessment scores obtained prior to admission to pharmacy school. Related to the PCAT as an assessment of critical thinking skills, studies have found PCAT scores to have positive correlations with scores on the California Critical Thinking Skills Test and the Health Science Reasoning Test administered to candidates for admission during the interview process (Allen & Bond, 2001; Kelsch & Friesner, 2014; McCall, MacLaughlin, Fike, & Ruiz, 2007). The authors of these studies suggest that the PCAT represents an adequate measure of critical thinking skills.

Predictive Validity

An important way of evaluating the validity of a high-stakes standardized admission test is to examine its predictive validity, a type of criterion validity that addresses how well a test like the PCAT predicts later criteria, such as grade point averages (GPAs) or licensing-exam scores. Since the introduction of the PCAT in 1974, studies conducted over the years have found the test to be a moderate to strong predictor of subsequent performance, with predictive validity statistics comparable to other standardized admission tests commonly used by graduate and professional schools (Kuncel et al., 2005; Kuncel & Hezlett, 2007).

Such studies have typically used correlation and regression analyses to examine the value of PCAT scores, and some have used other variables to make predictions about subsequent GPAs earned by students in pharmacy school. Studies that have considered both academic and demographic or other non-cognitive characteristics have found PCAT scores and entering GPAs to be better indicators of pharmacy school performance than non-cognitive variables (Allen & Bond, 2001; Carrol & Garavalia, 2002; Hardigan, Lai, Arneson, & Robeson, 2001; Kidd & Latif, 2003; Lobb, Wilkin, McCaffrey, Wilson, & Bentley, 2006). Other studies have found the PCAT to be useful for predicting performance in pharmacy programs and on pre-licensing and licensing exams (Chisholm-Burns, Spivey, McDonough, Phelps, & Byrd, 2014; Cunny & Perri, 1990; Fuller, Horlen, Cisneros, & Merz, 2007; Kuncel et al., 2005; McCall et al., 2007; Schauner, Hardinger, Graham, & Garavalia, 2013; Thomas & Draugalis, 2002).

In the most comprehensive PCAT study conducted to date, Kuncel et al. (2005) found in a meta-analysis of previous research that both PCAT scores and pre-pharmacy GPAs were valid predictors of student success during the first 3 years of pharmacy school, especially for first-year GPA, and that the PCAT was a strong predictor of performance on professional licensing examinations. They concluded that, together with pre-pharmacy GPAs, PCAT scores can be used in admissions decisions to substantially increase the likelihood of identifying students who will perform successfully in pharmacy programs.

In cooperation with the AACP PCAT Advisory Committee, The Psychological Corporation (now Pearson) conducted correlation, regression, discriminant, and diagnostic accuracy analyses to determine the validity of PCAT scores for predicting GPAs of students in years one through four of pharmacy programs (Meagher, Lin, & Stellato, 2006; Meagher, Lin, & Perez, 2007). These studies demonstrated the predictive value of PCAT scores, especially in combination with entering GPAs, and showed that all five PCAT multiple-choice subtests were predictive of first-year pharmacy GPA, with different subtests having more or less predictive value for different levels of first-year GPA achievement. The results of these studies substantiated previous findings that both PCAT scaled scores and entering cumulative GPAs represent moderate to strong predictive validity as indicators of candidates likely to succeed in pharmacy school.

While studies conducted over the years have continued to suggest that both PCAT scores and pre-pharmacy GPAs show consistently positive correlations with subsequent performance in pharmacy school (especially with first-year GPA) and on the North American Pharmacist Licensure Examination (Kuncel et al., 2005; McCall et al., 2007), many older studies were conducted before the PharmD became the required degree for professional pharmacy practice (Lobb & Wilkin, 2003), and relatively few studies had considered demographic characteristics as predictor variables. In addition, most of the data for these studies had been collected prior to the introduction of the current PCAT scaled scores in 2004 and before the Writing subtest was introduced in June 2007.

A recent study conducted by Pearson examined data collected on more than 2,200 students from 22 pharmacy school PharmD programs around the country in order to determine the value of recent PCAT scaled scores, PCAT Writing scores, and entering GPAs in predicting subsequent GPAs during the first year of professional pharmacy study (Meagher, Pan, & Perez, 2011). The study also attempted to address persistent questions regarding differing PCAT mean scores for different demographic groups by including demographic characteristics as predictor variables.

The results of this study were comparable in many ways with previous research findings and to studies involving other graduate and professional school admission tests. Correlation findings between PCAT scores and first-year pharmacy GPAs compared favorably to those from a recent study between the GRE General Test and first-year graduate school GPAs (Bridgeman, Burton, & Cline, 2009) and in the meta-analysis of PCAT predictive validity studies by Kuncel et al. (2005). In addition, the findings from regression analyses compared favorably to the findings of a recent study that examined the relationship between the current version of the MCAT and GPAs for the first 2 years of medical school (Callahan, Hojat, Veloski, Erdmann, & Gonnella, 2010), as well as to regression results typically found for the GRE (Bridgeman, Burton, & Cline, 2009).

With regard to the influence of demographic variables, the Pearson study found that several demographic characteristics seem relatively insignificant in terms of predicting first-year pharmacy GPAs. This finding is especially important considering the continuing observation of differing PCAT mean scores and previous GPAs for different demographic groups. Some studies that have examined questions related to demographic factors found sex, ethnicity, and native language to be associated with key performance variables (Bandalos & Sedlacek, 1989; Chisholm-Burns et al., 2014; Chisholm, Cobb, & Kotzen, 1995; Kelly, Secnik, & Boye, 2001; Wu-Pong, Windridge, & Osborne, 1997). However, other studies found comparable performances among students in terms of course grades regardless of sex or ethnicity (Carroll & Garavalia, 2002), and in terms of course exam results, regardless of previous educational background, age, sex, or ethnicity (Ried & Byers, 2009). Also, in studies of the influence of educational background, researchers have found that earning a degree prior to pharmacy school is a strong predictor of subsequent performance (Myers, DeHart, Vuk, & Bursac, 2013) and that the competitiveness and level of colleges attended prior to matriculation into a PharmD program adds predictive value to PCAT scores and entering GPAs only for students' performance in the fourth year of pharmacy study (White & Hall, 2006; Hall & White, 2007).

Several other studies found that pharmacy students with bachelor's degrees outperformed students with less prior education in terms of first professional-year GPAs (Chisholm, 2001; Chisholm, Cobb, Kotzen, & Lauthenschlager, 1997; Chisholm, Cobb, DiPiro, & Lauthenschlager, 1999; Houglum, Aparasu, & Delfinis, 2005; McCall, Allen, & Fike, 2006; Renzi, Krzeminski, Sauberan, Brazeau, & Brazeau, 2007).

The findings of the Pearson study seem generally consistent with these other studies, especially with regard to students who earned a bachelor's degree. However, an exception to the findings of earlier studies is that the Pearson study found that a student's age had a negative influence on first-year pharmacy GPAs. With regard to candidates' and parents' educational background, the Pearson study found that neither candidates' last previous attendance at a four-year college or a private school prior to matriculation nor parents' attainment of a bachelor's degree were significant factors in predicting first-year pharmacy school GPAs.

With regard to the PCAT Writing scores, the Pearson study found them more significant as factors in admission decisions than in predicting first-year pharmacy GPAs. As a result, the study suggests that even though PCAT Writing scores may not be significant factors in predicting first-year pharmacy GPAs, they may serve as useful indicators of candidates' language and communication skills for admission decisions.

The results of this Pearson study are comparable in many ways to other research findings that have shown the moderate validity of PCAT scores in predicting GPAs during the first year of pharmacy school. The study finding that demographic characteristics seem relatively insignificant in terms of predicting first-year pharmacy GPAs is especially important considering the continuing observation of mean PCAT-score and previous-GPA differences for different demographic groups. Finally, the small proportions of students that discontinued or continued on academic probation after the first year of study suggest that if success in pharmacy school is defined as maintaining good academic standing following the first year, then the criteria being used in admission decisions are appropriate and effective, including the use of PCAT scores in combination with previously earned GPAs.

Concurrent Validity—A type of criterion validity involving correlations between test scores and other assessment scores or other criteria obtained around the same time.

Content Validity—A type of validity that relates to how adequately the content of a test represents a specified body of knowledge, and to how adequately subjects' responses represent knowledge of the content.

Correlation—A measure of the strength and direction of the relationship between two sets of variables. (*See* Correlation Coefficient.)

Correlation Coefficient (r)—A statistic ranging between -1 and 1 that indicates the degree and direction of relationship between two variables. The strength of the relationship is indicated by the values of the coefficients (with greater values indicating stronger relationships). The direction of the relationship is indicated by either a positive sign (+) representing a positive relationship in which variables tend to increase or decrease together, or a negative sign (–) representing an inverse relationship between variables.

Criterion Validity—A type of validity involving correlations between test scores and scores on some other measure representing a relevant criterion.

Diagnostic Accuracy Analysis—A statistical method used to determine the ability of test scores to accurately identify individuals who are likely to have a specific characteristic (e.g., first-year students likely to earn a specific grade point average).

Discriminant Analysis—A statistical method used to predict group membership (e.g., first-year students earning in the top 10% of grade point averages) from one or more predictor variables (e.g., PCAT scores).

Effect Size—A statistical measure of the estimated magnitude of a treatment effect (such as presenting test items in a computer-based format), reflected in measured differences between two samples (such as one taking a paper-and-pencil version of a test form and another taking a computer-based version) on a common indicator (such as a scaled score).

Internal Consistency—A type of test score reliability indicating the degree of correlation among item responses within each separate part of a test.

Internal Structure Validity—A type of validity involving the degree to which relationships among test items and test components conform to what the test is intended to measure.

Inter-Scorer Reliability—A type of reliability whereby ratings assigned by two or more independent judges of the same test performance (e.g., a written essay) are compared to determine their consistency.

Kuder-Richardson Formula 20 (KR-20)—A statistic (ranging from 0 to 1) used to determine internal consistency reliability as an estimate of the average of all possible split-half coefficients, with a high value indicating a strong relationship among test items and a low value indicating a weak relationship. (*See* Correlation Coefficient.)

Mean (M)—The average of a set of scores computed by adding all of the scores together and then dividing by the total number of scores.

Meta-Analysis—A method of research that analyzes the results of several independent studies by combining them to determine an overall effect or the degree of relationship between variables.

N-count (n)—The total number of individuals who make up a sample (e.g., the number of candidates who took a test).

Normative Sample/Norm Group—The group of individuals (sample) earning scores on a test whose score data are used to determine scaled scores and/or percentile ranks.

Norm-Referenced Standardized Test—A measurement in which an individual's scores are interpreted by comparing them to scores obtained by a defined group of individuals (a norm group or normative sample) that has been used to determine scaled scores and/or percentile ranks.

Norms—Data that summarize the performance of a norm group (or normative sample) by showing how earned scores compare to one another, such as by listing scaled scores and corresponding percentile ranks.

Percentile Rank (PR)—A whole number between 1 and 99 that represents the proportion of individuals from the normative sample who earned lower than a given score on a test.

Predictive Validity—A type of criterion validity based on how accurately test data (e.g., admission test scores) are able to predict criterion measures obtained at some later time (e.g., a grade point average earned after admission).

Predictor Variable—A variable that occurs prior to any intervention (e.g., scores on an admission test) that is used to predict some subsequent outcome (e.g., a grade point average earned after admission). (*See* Variable.)

Propensity Score Matching—A method in which members of one sample group (such as candidates taking the PCAT in paper-and-pencil format) are matched one-to-one with members of another sample group (such as candidates taking the PCAT in computer-based format) using propensity scores. Propensity scores are usually obtained from logistic regression based on the observed predictors, such as demographic characteristics, ability estimates, and so on. The method attempts to reduce the confounding effects of covariates and to control for selection bias.

Regression—An indication of the relationship between variables for purposes of predicting a measure of one variable (e.g., first-year grade point average) from a measure of another variable (e.g., PCAT Composite score).

Reliability—An estimate of the dependability of test scores in terms of the degree of consistency between measures of the test (e.g., comparisons of administrations of a test over time, or comparisons of items within a test).

Reliability Coefficient—A correlation statistic (usually ranging from 0 to 1) that measures the degree to which test scores are free of measurement error. (*See* Standard Error of Measurement.)

Scaled Score (SS)—A standardized test score on a specified common scale (e.g., 200–600) with a designated mean and standard deviation that are derived from a raw score (or an ability estimate). Scaled scores are especially useful for comparing performance of individuals or groups over time in a content area (e.g., biology).

Standard Deviation (SD)—A measure of the variability of test scores in terms of how spread out scores are from one another in a normative sample distribution.

Standard Error of Measurement (SEM)—An estimate (based on group data) of the variation in scores earned on repeated administrations of the same test by the same individual.

Validity—The extent to which a test measures what it is intended to measure. Validity refers to the extent to which test scores (or other measures) support appropriate interpretations and inferences regarding characteristics of a person measured (e.g., knowledge or ability) or performances other than those measured (e.g., subsequent performance or achievement).

References

- Allen, D. D., & Bond, C. A. (2001). Prepharmacy predictors of success in pharmacy school: Grade point averages, pharmacy college admissions test, communication abilities, and critical thinking skills. *Pharmacotherapy, 21*, 842–849.
- Anastasi, A., & Urbina, S. (1997). *Psychological testing* (7th ed.). Upper Saddle River, NJ: Prentice Hall.
- Bandalos, D. L., & Sedlacek, W. E. (1989). Predicting success of pharmacy students using traditional and nontraditional measures by race. *American Journal of Pharmaceutical Education, 53*, 145–148.
- Bridgeman, B., Burton, N., & Cline, F. (2009). A note on presenting what predictive validity numbers mean. *Applied Measurement in Education, 22*, 109–119.
- Callahan, C. A., Hojat, M., Veloski, J., Erdmann, J. B., & Gonnella, J. S. (2010). The predictive validity of three versions of the MCAT® in relation to performance in medical school, residency, and licensing examinations: A longitudinal study of 36 classes of Jefferson Medical College. *Academic Medicine, 85*(6), 980–987.
- Carroll, C. A., & Garavalia, L. S. (2002). Gender and racial differences in select determinants of student success. *American Journal of Pharmaceutical Education, 66*, 382–387.
- Chisholm, M. (2001). Students' performance throughout the professional curriculum and the influence of achieving a prior degree. *American Journal of Pharmaceutical Education, 65*, 350–354.
- Chisholm, M., Cobb, H., & Kotzen, J. A. (1995). Significant factors for predicting academic success of first-year pharmacy students. *American Journal of Pharmaceutical Education, 59*, 364–370.
- Chisholm, M., Cobb, H., Kotzen, J. A., & Lauthenschlager, G. J. (1997). Prior four year college degree and academic performance of first year pharmacy students: A three year study. *American Journal of Pharmaceutical Education, 61*, 278–281.
- Chisholm, M., Cobb, H., DiPiro, J. T., & Lauthenschlager, G. J. (1999). Development and validation of a model that predicts the academic ranking of first-year pharmacy students. *American Journal of Pharmaceutical Education, 63*, 388–394.
- Chisholm-Burns, M. A., Spivey, C. A., McDonough, S., Phelps, S., & Byrd, D. (2014). Evaluation of student factors associated with Pre-NAPLEX scores. *American Journal of Pharmaceutical Education, 78*(10), Article 181.

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cunney, K. A., & Perri, M. (1990). Historical perspective on undergraduate pharmacy student admissions: the PCAT. *American Journal of Pharmaceutical Education*, 54, 1–6.
- Fuller, S., Horlen, C., Cisneros, & Merz, T. (2007). Pharmacy students' reading ability and the readability of required reading materials. *American Journal of Pharmaceutical Education*, 71(6), Article 111.
- Hall, P., & White, R. L. (2007). Completion of pre-pharmacy requirements at community colleges: What is the association with PharmD GPA? [Abstract]. *ACCP [American College of Clinical Pharmacy] 2007 Annual Meeting Guide and Abstracts*, 207, Abstract #63E.
- Hardigan, P. C., Lai, L. L., Arneson, D., & Robeson, A. (2001). Significance of academic merit, test scores, interviews and the admissions process: A case study. *American Journal of Pharmaceutical Education*, 65, 40–44.
- Houglum, J. E., Aparasu, R. R., & Delfinis, T. M. (2005). Predictors of academic success and failure in a pharmacy professional program. *American Journal of Pharmaceutical Education*, 69(3), Article 43.
- Kelly, K. A., Secnik, K., & Boye, M. E. (2001). An evaluation of the pharmacy college admissions test as a tool for pharmacy college admissions committees. *American Journal of Pharmaceutical Education*, 65, 225–230.
- Kelsch, M. P., & Friesner, D. L. (2014). The Health Sciences Reasoning Test in the pharmacy admissions process. *American Journal of Pharmaceutical Education*, 78(1), Article 9.
- Kidd, R. S., & Latif, D. A. (2003). Traditional and novel predictors of classroom and clerkship success of pharmacy students. *American Journal of Pharmaceutical Education*, 67(4), Article 109.
- Kuncel, N. R., Crede, M., Thomas, L. L., Kleiger, D. M., Seiler, S. N., & Woo, S. E. (2005). A meta-analysis of the validity of the Pharmacy College Admission Test (PCAT) and grade predictors of pharmacy student performance. *American Journal of Pharmaceutical Education*, 69(3), Article 51.
- Kuncel, N. R., & Hezlett, S. A. (2007). Standardized tests predict graduate students' success. *Science*, 315, 1080–1081.
- Lobb, W. B., & Wilkin N. E. (2003). Admission and progression standards at U.S. schools and colleges of pharmacy: An exploration of criteria changes. *American Journal of Pharmaceutical Education*, 67(3), Article 93.
- Lobb, W. B., Wilkin, N. E., McCaffrey, D. J., Wilson, M. C., & Bentley, J. P. (2006). The predictive utility of nontraditional test scores for first-year pharmacy student academic performance. *American Journal of Pharmaceutical Education*, 70(6), Article 128.
- McCall, K. L., Allen, D. D., & Fike, D. S. (2006). Predictors of academic success in a doctor of pharmacy program. *American Journal of Pharmaceutical Education*, 70(5), Article 106.

- McCall, K. L., MacLaughlin, E. J., Fike, D. S., & Ruiz, B. (2007). Preadmission predictors of PharmD graduates' performance on the NAPLEX. *American Journal of Pharmaceutical Education*, 71(1), Article 05.
- Meagher, D. G., Lin, A., & Perez, C. P. (2007). Predicting pharmacy students' performance from PCAT scores: A further analysis of predictive validity study data. *American Journal of Pharmaceutical Education*, 71(5), Article 101.
- Meagher, D. G., Lin, A., & Stellato, C. P. (2006). A predictive validity study of the Pharmacy College Admission Test. *American Journal of Pharmaceutical Education*, 70(3), Article 53.
- Meagher, D. G., Pan, T., & Perez, C. P. (2011). Predicting performance in the first-year of pharmacy school. *American Journal of Pharmaceutical Education*, 75(5), Article 81.
- Myers, T. L., DeHart, R. M., Vuk, J., & Bursac, Z. (2013). Prior degree status of student pharmacists: Is there an association with first-year pharmacy school academic performance? *Currents in Pharmacy Teaching and Learning*, 5(5), 490–493.
- Renzi, S. E., Krzeminski, M. A., Sauberan, M. M., Brazeau, D. A., & Brazeau, G. A. (2007). Prepharmacy years in college and academic performance in a professional program. *American Journal of Pharmaceutical Education*, 71(4), Article 69.
- Ried, L. D., & Byers, K. (2009). Comparison of two lecture delivery platforms in a hybrid distance education program. *American Journal of Pharmaceutical Education*, 31(5), Article 95.
- Rosenbaum P. R., & Rubin D. B. (1983). The central role of the propensity score in observational studies for causal effects. *Biometrika*, 70, 41–55.
- Schauner, S., Hardinger, K. L., Graham, M. R., & Garavalia, L. (2013). Admission variables predictive of academic struggle in a PharmD program. *American Journal of Pharmaceutical Education*, 77(1), Article 8.
- Streiner, D. L. (2003). Starting at the beginning: An introduction to coefficient alpha and internal consistency. *Journal of Personality Assessment*, 80(1), 99–103.
- Thomas, M. C., & Draugalis, J. R. (2002). Utility of the Pharmacy College Admission Test (PCAT): Implications for admissions committees. *American Journal of Pharmaceutical Education*, 66(1), 47–50.
- White, R. L., & Hall, P. (2006). Relationships between undergraduate institution ranking and academic performance in a doctor of pharmacy program [Abstract]. *ACCP [American College of Clinical Pharmacy] 2006 Annual Meeting*, E63, Abstract #80.
- Wu-Pong, S., Windridge, G., & Osborne, D. (1997). Evaluation of pharmacy school applicants whose first language is not English. *American Journal of Pharmaceutical Education*, 61, 61–66.